



METRO

600 NE Grand Ave.
Portland, OR 97232-2736
(503) 797-1700

Addendum Three / RFP 14-2530

RFP 14-2530 SAFETY DATA SHEET (SDS) MANAGEMENT SYSTEM

In the interest of fairness, the following questions and answers are being provided to all interested bidders.

1. Will METRO entertain a cloud based solution (not hosted on METRO Servers)?

Answer: Yes. Please see item III.a on page 3 of the RFP
(http://library.oregonmetro.gov/files/request_for_proposals_sds_project_final_11262013.pdf)

2. Is there a need to interact with any chemical inventory system for the SDS Management System?

Answer: No. Metro does not maintain a chemical inventory system.

3. Will METRO be open to redesign and new implementation of a toxin assessment tool (Web-Based)?

Answer: Yes. Please see III.b.k on page 3 of the RFP.

4. In case CloudSDS Inc. develops a web version of the calculator, will Oregon METRO designate a SME to CloudSDS Inc. to develop the new system?

Answer: Proposals should include details of their proposed toxic assessment tool if proposer's choose to create or offer a different toxics assessment tool. Please see III.b.k.2 on page 3 of the RFP.

5. Will METRO provide necessary support to CloudSDS Inc. in developing the existing formula and conditions based on the lookups that are there in the existing XLSX solution?

Answer: Proposals should include details of their proposed toxic assessment tool if proposer's choose to create or offer a different toxics assessment tool. Please see III.b.k.2 on page 3 of the RFP.

6. Will METRO engage with CloudSDS Inc. in testing of the Calculator in regular basis prior to commissioning the Calculator for their daily use?

Answer: Proposals should include details of their proposed toxic assessment tool if proposer's choose to create or offer a different toxics assessment tool. Please see III.b.k.2 on page 3 of the RFP.

7. METRO Calculator depends heavily on different list like PROP 65, IARC, LOL, EPA-IRIS etc. What's the plan to maintain those lists in the future?

Answer: Metro prefers proposers maintain & update lists associated with the toxics assessment.

8. Who maintains the regulatory listing? What will be the frequency of updates of these lists?

Answer: Metro prefers proposers maintain & update lists associated with the toxics assessment.

9. Will the calculator application to be hosted in CloudSDS or METRO Servers?

Answer: Proposals should include details of their proposed toxic assessment tool if proposer's choose to create or offer a different toxics assessment tool. Please see III.b.k.2 on page 3 of the RFP.

Issued January 10, 2014



Sharon Stiffler, CPPB
Metro Procurement Analyst